

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30486	(programmable adj logic adj controller or PLC or automation adj2 equipment or (instrumentation or control) adj3 station or digital adj control\$3 or automation adj3 application near5 control).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:15
L2	22409	L1 and (@AD<"20000630" or @RLAD<"20000630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 10:51
L3	3	2 and IEC adj 1131-3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 10:56
L4	10	2 and IEC adj "1131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:04
L5	0	2 and IEC adj "1131\$2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 10:55
L6	0	2 and embed\$4 near5 (web or server) and HTTP and (block or function) with (exchang\$3 or send\$3 or transmit\$4 or receiv\$3 or retriev\$3) adj5 (message or xml or html or markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 10:59
L7	8	2 and HTTP and (block or function) with (exchang\$3 or send\$3 or transmit\$4 or receiv\$3 or retriev\$3) adj5 (message or xml or html or markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:03
L8	133501	(programmable adj logic adj controller or PLC or automation adj2 equipment or (instrumentation or control) adj3 station or digital adj control\$3 or automation adj3 application near5 control) and (@AD<"20000630" or @RLAD<"20000630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:02
L9	36	8 and HTTP and (block or function) with (exchang\$3 or send\$3 or transmit\$4 or receiv\$3 or retriev\$3) adj5 (message or xml or html or markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:03

L10	98	8 and HTTP and (block or function) with (exchang\$3 or send\$3 or transmit\$4 or receiv\$3 or retriev\$3) adj5 (message or xml or html or markup or request or response)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:03
L11	8	2 and HTTP and (block or function) with (exchang\$3 or send\$3 or transmit\$4 or receiv\$3 or retriev\$3) adj5 (message or xml or html or markup or request or response)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:06
L12	1	10 and IEC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:06
L13	86	10 and TCP/IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:06
L14	2	8 and HTTP and (block or function) with (exchang\$3 or ((send\$3 or transmit\$4) and (receiv\$3 or retriev\$3))) adj5 (message or xml or html or markup or (request\$3 and respon\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:09
L15	47	8 and (TCP/IP or HTTP) and (block or function) with (exchang\$3 or ((send\$3 or transmit\$4) and (receiv\$3 or retriev\$3))) adj5 (message or xml or html or markup or (request\$3 and respon\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:12
L16	0	8 and (TCP/IP or HTTP) and (web or server or serverlet) with (block or function) with (exchang\$3 or ((send\$3 or transmit\$4) and (receiv\$3 or retriev\$3))) adj5 (message or xml or html or markup or (request\$3 and respon\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:14
L17	62	8 and embed\$4 and (TCP/IP or HTTP) and (web or server or serverlet or block or function) with (exchang\$3 or ((send\$3 or transmit\$4) and (receiv\$3 or retriev\$3))) adj5 (message or xml or html or markup or (request\$3 and respon\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:24
L18	2	1 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:15

L19	56	17 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:24
L20	11	8 and embed\$4 adj5 (server or serverlet) and (TCP/IP or HTTP) and (web or server or serverlet or block or function) with (exchang\$3 or ((send\$3 or transmit\$4) and (receiv\$3 or retriev\$3))) adj5 (message or xml or html or markup or (request\$3 and respon\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 11:30